

SOCKETS EXTENSIONS **ISOLATED**

SPEEDRILL

AXIAL Isolation

Protection between
1000 V and you

IEC 60900
certification

△ 1000V

AXIAL ISOLATION
RADIAL

3/8" Sockets
1/2" Sockets
Adapters and Extensions



+34 91 350 08 16




info@speedrill.com

WWW.SPEEDRILL.COM

3/8" SOCKETS

HEXAGONAL • BI-HEXAGONAL • FAST LEAD •
SURFACE DRIVE • TORX



HEXAGONAL

3/8"					
Item number	L	S	D1	D2	T
J2306HL/INS	46	6	19	27	5
J2307HL/INS	46	7	19	27	6
J2308HL/INS	46	8	20	27	6
J2310HL/INS	46	10	21	27	7
J2311HL/INS	46	11	24	27	8
J2312HL/INS	46	12	25	27	9
J2313HL/INS	46	13	26	27	9
J2314HL/INS	46	14	27	27	12
J2315HL/INS	46	15	28	27	13
J2316HL/INS	46	16	30	27	14
J2308HXL/INS	70	8	20	27	6
J2310HXL/INS	70	10	21	27	8
J2311HXL/INS	70	11	24	27	9
J2313HXL/INS	70	13	26	27	14

3/8" MAGNETIC					
Item number	L	S	D1	D2	T
J2306HLM/INS	46	6	19	27	2,4
J2307HLM/INS	46	7	19	27	2,8
J2308HLM/INS	46	8	20	27	3,5
J2310HLM/INS	46	10	21	27	4
J2311HLM/INS	46	11	24	27	5
J2312HLM/INS	46	12	25	27	5
J2313HLM/INS	46	13	26	27	5,5
J2314HLM/INS	46	14	27	27	6
J2315HLM/INS	46	15	28	27	6
J2316HLM/INS	46	16	30	27	6
J2308HXL/INS	70	8	20	27	3,5
J2310HXL/INS	70	10	21	27	4
J2311HXL/INS	70	11	24	27	5
J2313HXL/INS	70	13	26	27	5,5

3/8" SIDE MAGNETS					
Item number	L	S	D1	D2	T
J2306HLAPM/INS	46	6	19	27	5
J2307HLAPM/INS	46	7	19	27	6
J2308HLAPM/INS	46	8	20	27	6
J2310HLAPM/INS	46	10	21	27	7
J2311HLAPM/INS	46	11	24	27	8
J2312HLAPM/INS	46	12	25	27	9
J2313HLAPM/INS	46	13	26	27	9
J2314HLAPM/INS	46	14	27	27	12
J2315HLAPM/INS	46	15	28	27	13
J2316HLAPM/INS	46	16	30	27	14
J2308HXLAPM/INS	70	8	20	27	6
J2310HXLAPM/INS	70	10	21	27	8
J2311HXLAPM/INS	70	11	24	27	9
J2313HXLAPM/INS	70	13	26	27	14

BI-HEXAGONAL

3/8"					
Item number	L	S	D1	D2	T
J2307BHL/INS	46	7	18	27	3,5
J2308BHL/INS	46	8	20	27	3,5
J2309BHL/INS	46	9	24	27	4,5
J2310BHL/INS	46	10	21	27	4,5
J2311BHL/INS	46	11	24	27	5,5
J2312BHL/INS	46	12	25	27	5,5
J2313BHL/INS	46	13	26	27	6,5
J2315BHL/INS	46	15	28	27	7,5
J2316BHL/INS	46	16	30	27	7,5

3/8" MAGNETIC					
Item number	L	S	D1	D2	T
J2307BHLM/INS	46	7	18	27	2,8
J2308BHLM/INS	46	8	20	27	3,5
J2309BHLM/INS	46	9	24	27	3,5
J2310BHLM/INS	46	10	21	27	4
J2311BHLM/INS	46	11	24	27	5
J2312BHLM/INS	46	12	25	27	5
J2313BHLM/INS	46	13	26	27	5,5
J2315BHLM/INS	46	15	28	27	6
J2316BHLM/INS	46	16	30	27	6

3/8" SIDE MAGNETS					
Item number	L	S	D1	D2	T
J2307BHLAPM/INS	46	7	18	27	3,5
J2308BHLAPM/INS	46	8	20	27	3,5
J2309BHLAPM/INS	46	9	24	27	4,5
J2310BHLAPM/INS	46	10	21	27	4,5
J2311BHLAPM/INS	46	11	24	27	5,5
J2312BHLAPM/INS	46	12	25	27	5,5
J2313BHLAPM/INS	46	13	26	27	6,5
J2315BHLAPM/INS	46	15	28	27	7,5
J2316BHLAPM/INS	46	16	30	27	7,5

3/8" SOCKETS

FAST LEAD

3/8"

Item number	L	S	D1	D2	T
J2308HLER/INS	46	8	20	27	5
J2310HLER/INS	46	10	21	27	6
J2311HLER/INS	46	11	23	27	7
J2313HLER/INS	46	13	26	27	8

3/8" MAGNETIC

Item number	L	S	D1	D2	T
J2308HLERM/INS	46	8	20	27	3,5
J2310HLERM/INS	46	10	21	27	4
J2311HLERM/INS	46	11	23	27	5
J2313HLERM/INS	46	13	26	27	5,5

3/8" SIDE MAGNETS

Item number	L	S	D1	D2	T
J2308HLERAPM/INS	46	8	20	27	5
J2310HLERAPM/INS	46	10	21	27	6
J2311HLERAPM/INS	46	11	23	27	7
J2313HLERAPM/INS	46	13	26	27	8

SURFACE DRIVE

3/8"

Item number	L	S	D1	D2	T
J2307SDL/INS	46	7	19	27	5
J2308SDL/INS	46	8	20	27	5
J2310SDL/INS	46	10	21	27	6
J2311SDL/INS	46	11	23	27	7
J2312SDL/INS	46	12	25	27	7
J2313SDL/INS	46	13	26	27	8
J2315SDL/INS	46	15	28	27	9
J2316SDL/INS	46	16	30	27	9

3/8" MAGNETIC

Item number	L	S	D1	D2	T
J2307SDLM/INS	46	7	19	27	2,8
J2308SDLM/INS	46	8	20	27	3,5
J2310SDLM/INS	46	10	21	27	4
J2311SDLM/INS	46	11	23	27	5
J2312SDLM/INS	46	12	25	27	5
J2313SDLM/INS	46	13	26	27	5,5
J2315SDLM/INS	46	15	28	27	6
J2316SDLM/INS	46	16	30	27	6

3/8" SIDE MAGNETS

Item number	L	S	D1	D2	T
J2307SDLAPM/INS	46	7	19	27	5
J2308SDLAPM/INS	46	8	20	27	5
J2310SDLAPM/INS	46	10	21	27	6
J2311SDLAPM/INS	46	11	23	27	7
J2312SDLAPM/INS	46	12	25	27	7
J2313SDLAPM/INS	46	13	26	27	8
J2315SDLAPM/INS	46	15	28	27	9
J2316SDLAPM/INS	46	16	30	27	9

TORX

3/8"

Item number	L	S	D1	D2	T
JE5L/INS	46	E5	14	27	4,2
JE6L/INS	46	E6	15	27	4,5
JE7L/INS	46	E7	16	27	6
JE8L/INS	46	E8	18	27	6
JE10L/INS	46	E10	20	27	7,2
JE12L/INS	46	E12	21	27	8,5
JE14L/INS	46	E14	23	27	10

3/8" MAGNETIC


Item number	L	S	D1	D2	T
JE5LM/INS	46	E5	14	27	2
JE6LM/INS	46	E6	15	27	2,4
JE7LM/INS	46	E7	16	27	2,8
JE8LM/INS	46	E8	18	27	3,5
JE10LM/INS	46	E10	20	27	4
JE12LM/INS	46	E12	21	27	5
JE14LM/INS	46	E14	23	27	6

3/8" SIDE MAGNETS

Item number	L	S	D1	D2	T
JE5LAPM/INS	46	E5	14	27	4,2
JE6LAPM/INS	46	E6	15	27	4,5
JE7LAPM/INS	46	E7	16	27	6
JE8LAPM/INS	46	E8	18	27	6
JE10LAPM/INS	46	E10	20	27	7,2
JE12LAPM/INS	46	E12	21	27	8,5
JE14LAPM/INS	46	E14	23	27	10

1/2" SOCKETS

HEXAGONAL • BI-HEXAGONAL • FAST LEAD •
SURFACE DRIVE • TORX • SAE



HEXAGONAL

1/2"					
Item number	L	S	D1	D2	T
S2310HJL/INS	65	10	23	30	6
S2311HJL/INS	65	11	25	30	7
S2313HJL/INS	65	13	27	30	8
S2314HJL/INS	65	14	28	30	8
S2316HJL/INS	65	16	31	35	10
S2317HJL/INS	65	17	32	35	10
S2318HJL/INS	65	18	33	35	11
S2319HJL/INS	65	19	35	35	12
S2321HJL/INS	65	21	37	35	12
S2308HL/INS	65	8	21	30	10
S2310HL/INS	65	10	23	30	11
S2311HL/INS	65	11	25	30	11
S2312HL/INS	65	12	26	30	11
S2313HL/INS	65	13	27	30	11
S2314HL/INS	65	14	29	30	13
S2315HL/INS	65	15	29	35	13
S2316HL/INS	65	16	31	35	13
S2317HL/INS	65	17	32	35	13
S2318HL/INS	65	18	32	35	17
S2319HL/INS	65	19	34	35	17
S2320HL/INS	65	20	36	35	17
S2321HL/INS	65	21	37	35	17

1/2" MAGNETIC					
Item number	L	S	D1	D2	T
S2310HJLM/INS	65	10	23	30	4
S2311HJLM/INS	65	11	25	30	5
S2313HJLM/INS	65	13	27	30	5,5
S2314HJLM/INS	65	14	28	30	6
S2316HJLM/INS	65	16	31	35	6
S2317HJLM/INS	65	17	32	35	7
S2318HJLM/INS	65	18	33	35	7
S2319HJLM/INS	65	19	35	35	8
S2321HJLM/INS	65	21	37	35	8,5
S2308HLM/INS	65	8	21	30	3,5
S2310HLM/INS	65	10	23	30	4
S2311HLM/INS	65	11	25	30	5
S2312HLM/INS	65	12	26	30	5
S2313HLM/INS	65	13	27	30	5,5
S2314HLM/INS	65	14	29	30	6
S2315HLM/INS	65	15	29	35	6
S2316HLM/INS	65	16	31	35	6
S2317HLM/INS	65	17	32	35	7
S2318HLM/INS	65	18	32	35	7
S2319HLM/INS	65	19	34	35	8
S2320HLM/INS	65	20	36	35	8,5
S2321HLM/INS	65	21	37	35	8,5

1/2" SIDE MAGNETS					
Item number	L	S	D1	D2	T
S2310HJLAPM/INS	65	10	23	30	6
S2311HJLAPM/INS	65	11	25	30	7
S2313HJLAPM/INS	65	13	27	30	8
S2314HJLAPM/INS	65	14	28	30	8
S2316HJLAPM/INS	65	16	31	35	10
S2317HJLAPM/INS	65	17	32	35	10
S2318HJLAPM/INS	65	18	33	35	11
S2319HJLAPM/INS	65	19	35	35	12
S2321HJLAPM/INS	65	21	37	35	12
S2308HLAPM/INS	65	8	21	30	10
S2310HLAPM/INS	65	10	23	30	11
S2311HLAPM/INS	65	11	25	30	11
S2312HLAPM/INS	65	12	26	30	11
S2313HLAPM/INS	65	13	27	30	11
S2314HLAPM/INS	65	14	29	30	13
S2315HLAPM/INS	65	15	29	35	13
S2316HLAPM/INS	65	16	31	35	13
S2317HLAPM/INS	65	17	32	35	13
S2318HLAPM/INS	65	18	32	35	17
S2319HLAPM/INS	65	19	34	35	17
S2320HLAPM/INS	65	20	36	35	17
S2321HLAPM/INS	65	21	37	35	17

BI-HEXAGONAL

1/2"					
Item number	L	S	D1	D2	T
S2310BHL/INS	65	10	23	35	6
S2313BHL/INS	65	13	27	35	8
S2315BHL/INS	65	15	28	30	8
S2316BHL/INS	65	16	31	30	10
S2318BHL/INS	65	18	32	30	11
S2319BHL/INS	65	19	35	30	12
S2321BHL/INS	65	21	37	30	12

1/2" MAGNETIC					
Item number	L	S	D1	D2	T
S2310BHLM/INS	65	10	23	35	4
S2313BHLM/INS	65	13	27	35	5,5
S2315BHLM/INS	65	15	28	30	6
S2316BHLM/INS	65	16	31	30	6
S2318BHLM/INS	65	18	32	30	7
S2319BHLM/INS	65	19	35	30	8
S2321BHLM/INS	65	21	37	30	8,5

1/2" SIDE MAGNETS					
Item number	L	S	D1	D2	T
S2310BHLAPM/INS	65	10	23	35	6
S2313BHLAPM/INS	65	13	27	35	8
S2315BHLAPM/INS	65	15	28	30	8
S2316BHLAPM/INS	65	16	31	30	10
S2318BHLAPM/INS	65	18	32	30	11
S2319BHLAPM/INS	65	19	35	30	12
S2321BHLAPM/INS	65	21	37	30	12

1/2" SOCKETS

FAST LEAD

1/2"					
Item number	L	S	D1	D2	T
S2310HLER/INS	65	10	23	30	6
S2312HLER/INS	65	12	26	30	7
S2313HLER/INS	65	13	27	30	8
S2314HLER/INS	65	14	28	30	8
S2315HLER/INS	65	15	29	35	8
S2316HLER/INS	65	16	31	35	10
S2317HLER/INS	65	17	31	35	10
S2318HLER/INS	65	18	34	35	11
S2319HLER/INS	65	19	34	35	12
S2321HLER/INS	65	21	37	35	12

1/2" MAGNETIC					
Item number	L	S	D1	D2	T
S2310HLERM/INS	65	10	23	30	4
S2312HLERM/INS	65	12	26	30	5
S2313HLERM/INS	65	13	27	30	5,5
S2314HLERM/INS	65	14	28	30	6
S2315HLERM/INS	65	15	29	35	6
S2316HLERM/INS	65	16	31	35	6
S2317HLERM/INS	65	17	31	35	7
S2318HLERM/INS	65	18	34	35	7
S2319HLERM/INS	65	19	34	35	8
S2321HLERM/INS	65	21	37	35	8,5

1/2" SIDE MAGNETS					
Item number	L	S	D1	D2	T
S2310HLERAPM/INS	65	10	23	30	6
S2312HLERAPM/INS	65	12	26	30	7
S2313HLERAPM/INS	65	13	27	30	8
S2314HLERAPM/INS	65	14	28	30	8
S2315HLERAPM/INS	65	15	29	35	8
S2316HLERAPM/INS	65	16	31	35	10
S2317HLERAPM/INS	65	17	31	35	10
S2318HLERAPM/INS	65	18	34	35	11
S2319HLERAPM/INS	65	19	34	35	12
S2321HLERAPM/INS	65	21	37	35	12

SURFACE DRIVE

1/2"					
Item number	L	S	D1	D2	T
S2310SDL/INS	65	10	23	30	6
S2311SDL/INS	65	11	24	30	7
S2312SDL/INS	65	12	26	30	7
S2313SDL/INS	65	13	27	30	8
S2314SDL/INS	65	14	28	30	8
S2315SDL/INS	65	15	29	35	8
S2316SDL/INS	65	16	31	35	10
S2317SDL/INS	65	17	32	35	10
S2318SDL/INS	65	18	34	35	11
S2319SDL/INS	65	19	34	35	12
S2321SDL/INS	65	21	37	35	12

1/2" MAGNETIC					
Item number	L	S	D1	D2	T
S2310SDLM/INS	65	10	23	30	4
S2311SDLM/INS	65	11	24	30	5
S2312SDLM/INS	65	12	26	30	5
S2313SDLM/INS	65	13	27	30	5,5
S2314SDLM/INS	65	14	28	30	6
S2315SDLM/INS	65	15	29	35	6
S2316SDLM/INS	65	16	31	35	6
S2317SDLM/INS	65	17	32	35	7
S2318SDLM/INS	65	18	34	35	7
S2319SDLM/INS	65	19	34	35	8
S2321SDLM/INS	65	21	37	35	8,5

1/2" SIDE MAGNETS					
Item number	L	S	D1	D2	T
S2310SDLAPM/INS	65	10	23	30	6
S2311SDLAPM/INS	65	11	24	30	7
S2312SDLAPM/INS	65	12	26	30	7
S2313SDLAPM/INS	65	13	27	30	8
S2314SDLAPM/INS	65	14	28	30	8
S2315SDLAPM/INS	65	15	29	35	8
S2316SDLAPM/INS	65	16	31	35	10
S2317SDLAPM/INS	65	17	32	35	10
S2318SDLAPM/INS	65	18	34	35	11
S2319SDLAPM/INS	65	19	34	35	12
S2321SDLAPM/INS	65	21	37	35	12

TORX

1/2"					
Item number	L	S	D1	D2	T
SE10L/INS	65	E10	20	30	7
SE12L/INS	65	E12	21	30	7
SE14L/INS	65	E14	24	30	7
SE16L/INS	65	E16	26	30	11
SE18L/INS	65	E18	28	30	12
SE24L/INS	65	E24	23	35	16

1/2" MAGNETIC					
Item number	L	S	D1	D2	T
SE10LM/INS	65	E10	20	30	4
SE12LM/INS	65	E12	21	30	5
SE14LM/INS	65	E14	24	30	5
SE16LM/INS	65	E16	26	30	6
SE18LM/INS	65	E18	28	30	7
SE24LM/INS	65	E24	23	35	10

1/2" SIDE MAGNETS					
Item number	L	S	D1	D2	T
SE10LAPM/INS	65	E10	20	30	7
SE12LAPM/INS	65	E12	21	30	7
SE14LAPM/INS	65	E14	24	30	7
SE16LAPM/INS	65	E16	26	30	11
SE18LAPM/INS	65	E18	28	30	12
SE24LAPM/INS	65	E24	23	35	16

SAE

1/2"					
Item number	L	S	D1	D2	T
S23-3/8HL/INS	50	0,375	20,5	28,5	6
S23-7/16HL/INS	50	0,4375	22,5	28,5	7
S23-1/2HL/INS	50	0,5	24,5	28,5	7
S23-3/4HL/INS	50	0,75	32,5	33,5	12
S23-15/16HL/INS	50	0,9375	38,5	33,5	15
S23-1HL/INS	50	1	40,5	33,5	16

1/2" MAGNETIC					
Item number	L	S	D1	D2	T
S23-3/8HLM/INS	50	3/8	20,5	28,5	4
S23-7/16HLM/INS	50	7/16	22,5	28,5	5
S23-1/2HLM/INS	50	1/2	24,5	28,5	5
S23-3/4HLM/INS	50	3/4	32,5	33,5	10
S23-15/16HLM/INS	50	15/16	38,5	33,5	13
S23-1HLM/INS	50	1	40,5	33,5	14

1/2" SIDE MAGNETS					
Item number	L	S	D1	D2	T
S23-3/8HLAPM/INS	50	3/8	20,5	28,5	6
S23-7/16HLAPM/INS	50	7/16	22,5	28,5	7
S23-1/2HLAPM/INS	50	1/2	24,5	28,5	7
S23-3/4HLAPM/INS	50	3/4	32,5	33,5	12
S23-15/16HLAPM/INS	50	15/16	38,5	33,5	15
S23-1HLAPM/INS	50	1	40,5	33,5	16

ADAPTERS

FEMALE SQ.DR. TO MALE SQ. DR.



3/8"

BALL			
Item number	L	D2	M
J2922A/INS	50	27	1/4
J2923A/INS	75	27	1/4
J2924A/INS	100	27	1/4
J3122A/INS	50	27	1/2

PIN			
Item number	L	D2	M
J2922B/INS	50	27	1/4
J2923B/INS	75	27	1/4
J2924B/INS	100	27	1/4
J3122B/INS	50	27	1/2

HOLE			
Item number	L	D2	M
J2922C/INS	50	27	1/4
J2923C/INS	75	27	1/4
J2924C/INS	100	27	1/4
J3122C/INS	50	27	1/2

1/2"

BALL			
Item number	L	D2	M
S2953A/INS	75	33	3/8
S2954A/INS	100	33	3/8
S2955A/INS	125	33	3/8
S3153A/INS	75	33	3/4
S3154A/INS	100	33	3/4

PIN			
Item number	L	D2	M
S2953B/INS	75	33	3/8
S2954B/INS	100	33	3/8
S2955B/INS	125	33	3/8
S3153B/INS	75	33	3/4
S3154B/INS	100	33	3/4

HOLE			
Item number	L	D2	M
S2953C/INS	75	33	3/8
S2954C/INS	100	33	3/8
S2955C/INS	125	33	3/8
S3153C/INS	75	33	3/4
S3154C/INS	100	33	3/4

EXTENSIONS

FEMALE SQ. DR TO MALE SQ. DR.



3/8"

BALL		
Item number	L	D2
J3022A/INS	50	27
J3023A/INS	75	27
J3024A/INS	100	27
J3025A/INS	125	27

PIN		
Item number	L	D2
J3022B/INS	50	27
J3023B/INS	75	27
J3024B/INS	100	27
J3025B/INS	125	27

HOLE		
Item number	L	D2
J3022C/INS	50	27
J3023C/INS	75	27
J3024C/INS	100	27
J3025C/INS	125	27

1/2"

BALL		
Item number	L	D2
S3053A/INS	75	34,6
S3054A/INS	100	34,6
S3055A/INS	125	34,6
S3056A/INS	150	34,6

PIN		
Item number	L	D2
S3053B/INS	75	34,6
S3054B/INS	100	34,6
S3055B/INS	125	34,6
S3056B/INS	150	34,6

HOLE		
Item number	L	D2
S3053C/INS	75	34,6
S3054C/INS	100	34,6
S3055C/INS	125	34,6
S3056C/INS	150	34,6



 +34 91 350 08 16  info@speedrill.com

WWW.SPEEDRILL.COM