





MINI SCREW FEEDER





# ADVANTAGES

## > Suitable for mini and micro screws

- For medical technology
- In the optical industry
- For the manufacture of electronic products and components
- In precision engineering

## > A feeding system

Suitable for stationary and handheld tools

## > Reliable feeding

Feed disc stops precisely in the pick position

## > Flexible

Can react quickly to different screw sizes by simply changing the feed disc


## > Important communication interfaces

- Standard I/O interface
  - > Signal "screw in pick position"
  - > Signal "screwdriver start release"
  - > Signal for screw fill level

## > Robust/efficient/compact

- Screw container and feed disc made from non-corrosive stainless steel
- Low wear
- Small dimensions

## Dimensions



Technical data - Mini Screw Feeder			
Material to be conveyed		Screws	
Version		Stationary	Manual
Type		<b>C01511-EP/0.05</b>	<b>C11511-EP/0.05</b>
Feed rate approx.	parts/min	30	30
Filling capacity	l	0.05	0.05
Voltage	V/Hz	220	220
Power consumption	VA	50	50
Dimensions (WxDxH)	mm	238x216x182	238x216x182
Weight	kg	8	8
Max. head diameter	mm	3	3
Max. shaft length	mm	3.5	3.5
Range of shaft diameter	mm	0.8-1.4	0.8-1.4

# DEPRAG

**DEPRAG SCHULZ GMBH u. CO. KG**

P.O. Box 1352 | D-92203 Amberg

Carl-Schulz-Platz 1 | D-92224 Amberg

Phone: +49 9621 371-0 | Fax: +49 9621 371-120

[www.deprag.com](http://www.deprag.com) | [info@deprag.de](mailto:info@deprag.de)

D3836E | 11.2022

© DEPRAG. All rights and technical alterations reserved - Fri

HERMES  
TOOLS

HERMESTOOLS Sp. z o.o.  
ul. Sarni Stok 73 a, 43-300 Bielsko-Biała, Polska; tel: +48 33 821 41 90-91  
[www.hermestools.eu](http://www.hermestools.eu)