

Overview of WEBER electric hand held screw drivers without and with automatic screw feeding.

All devices are configurable according to specification and data sheet.

610466 Stand 07.2017 AL CZ

ESB Electric Handheld screw drivers – ESB 1,2, ESB 2,0, ESB 2,5



Models	ESB 1.2	ESB 2.0	ESB 2.5
Torque range [Nm]	0,15 – 1,2	0,40 – 2,0	0,50 – 2,5
Maximum rotation speed [rpm]	700 – 1.000	700 – 1.000	500 – 750
Price from	506.-€	558.-€	590.-€

<https://www.weber-online.com/en/handheld-screwdrivers/electric-handheld-screwdrivers-esb/>

HET Handheld screw driver with ASC drive and Process controller C20S

:



Series	03	10	30
Torque range [Nm]	0,1 – 3	1 – 10	3 – 30
Maximum rotation speed [rpm]	1.500	1.500	1.500
Weight [kg]	approx. 1,7	approx. 1,7	approx. 2,5
Length [mm]	approx. 250	approx. 250	approx. 250

Price from: 5985.-€ 6002.-€ not available

<https://www.weber-online.com/en/handheld-screwdrivers/handheld-screwdriver-het/>
<https://www.weber-online.com/en/control-systems/process-controller-c20s/>

HET Handheld screw driver with EC drive and Process controller C30S



Series	03	10	30
Torque range [Nm]	0,1 – 3	1 – 10	3 – 30
Maximum rotation speed [rpm]	1.500	1.500	1.500
Weight [kg]	approx. 1,7	approx. 1,7	approx. 2,5
Length [mm]	approx. 250	approx. 250	approx. 250
Price from:	8471.-€	8672.-€	9015.- €

<https://www.weber-online.com/en/handheld-screwdrivers/handheld-screwdriver-het/>
<https://www.weber-online.com/en/control-systems/process-controller-c30s/>

HET Handheld screw driver with EC drive and Process controller C50S



Series	03	10	30
Torque range [Nm]	0,1 – 3	1 – 10	3 – 30
Maximum rotation speed [rpm]	1.500	1.500	1.500
Weight [kg]	approx. 1,7	approx. 1,7	approx. 2,5
Length [mm]	approx. 250	approx. 250	approx. 250

Price from: 12535.- € 15327.- € 13079.- €

<https://www.weber-online.com/en/handheld-screwdrivers/handheld-screwdriver-het/>
<https://www.weber-online.com/en/control-systems/process-and-sequence-controller-c50s/>

HSE Handheld screw driver with ASC drive, feeder ZEB or ZEL and Process controller C20S



Series	03	10
Torque range [Nm]	0,3 – 3	0,5 – 10
Maximum rotation speed [rpm]	1.500	1.500
Head diameter [mm]	3 – 15	3 – 15
Weight [kg]	approx. 2,5	approx. 2,5
Length [mm]	approx. 480	approx. 480

Price from: 12797.- € 12814.- €

- <https://www.weber-online.com/en/handheld-screwdrivers/handheld-screwdriver-hse/>
- <https://www.weber-online.com/en/control-systems/process-controller-c20s/>
- <https://www.weber-online.com/en/feeding-systems/bowl-feeder-zeb/>
- <https://www.weber-online.com/en/feeding-systems/step-feeder-zel/>

HSE Handheld screw driver with EC drive, feeder ZEB or ZEL and Process controller C30S




Series	03	10
Torque range [Nm]	0,3 – 3	0,5 – 10
Maximum rotation speed [rpm]	1.500	1.500
Head diameter [mm]	3 – 15	3 – 15
Weight [kg]	approx.2,5	approx. 2,5
Length [mm]	approx. 480	approx. 480

Price from: 12628.- €

15481.- €

- <https://www.weber-online.com/en/handheld-screwdrivers/handheld-screwdriver-hse/>
- <https://www.weber-online.com/en/control-systems/process-controller-c30s/>
- <https://www.weber-online.com/en/feeding-systems/bowl-feeder-zeb/>
- <https://www.weber-online.com/en/feeding-systems/step-feeder-zel/>

HSE Handheld screwdriver with EC drive, feeder ZEB or ZEL and Process controller C50S



Series	03	10
Torque range [Nm]	0,3 – 3	0,5 – 10
Maximum rotation speed [rpm]	1.500	1.500
Head diameter [mm]	3 – 15	3 – 15
Weight [kg]	approx. 2,5	approx. 2,5
Length [mm]	approx. 480	approx. 480

Price from: 19347.- € 19547.- €

- <https://www.weber-online.com/en/handheld-screwdrivers/handheld-screwdriver-hse/>
- <https://www.weber-online.com/en/control-systems/process-and-sequence-controller-c50s/>
- <https://www.weber-online.com/en/feeding-systems/bowl-feeder-zeb/>
- <https://www.weber-online.com/en/feeding-systems/step-feeder-zel/>



TECHNIK, DIE VERBINDET



TECHNOLOGY THAT CONNECTS

WEBER Schraubautomaten GmbH

Hans-Urmiller-Ring 56

82515 Wolfratshausen, Germany

+ 49 8171 406-0

info@weber-online.com

www.weber-online.com